

mark
Levinson®

Luxury Audio

Vejledende salgspriser - Danmark - 1. marts 2013

mark
Levinson
REFERENCE
MONAURAL AMPLIFIER
Nº 53

Power Amplifiers

MODEL	PRODUKTBESKRIVELSE	PART #	VOLT/ FREKVENNS		SALGSPRIS
N°53 	Reference Monaural Amplifier (500 Watts x 1) <ul style="list-style-type: none"> Balanced design with XLR and RCA inputs Proprietary patented Class I architecture with interleaved power technology (IPT) Black and silver two-tone aluminum finish Dimensions (H x W x D): 20.4"x 8.5" x 20.4" (51.8 cm x 21.6 cm x 51.8 cm) Weight: 135 lb (61.3 kg) / Shipping weight: 160 lb (72.5 kg) 	NO53EU	230V/50Hz		195.000,- dkr
N°532 	Dual Monaural Amplifier (400 Watts x 2) <ul style="list-style-type: none"> Balanced design with XLR and RCA inputs Black and silver two-tone aluminum finish Dimensions (H x W x D): 9.6" x 17.5" x 21.1" (24.4 cm x 44.5 cm x 53.6 cm) Weight: 121.5 lb (55.2 kg) / Shipping weight: 136 lb (61.5 kg) 	NO532EU	230V/50Hz		170.000,- dkr

N°500H Series Power Amplifiers

MODEL	PRODUKTBESKRIVELSE	PART #	VOLT/ FREKVENNS	SALGSPRIS
N°535H 	Five Channel Amplifier (200 Watts x 5) <ul style="list-style-type: none"> Balanced design with XLR and RCA inputs Black aluminum finish Dimensions (H x W x D): 7.7" x 17.8" x 19.8" (19.6 cm x 45.2 cm x 50.3 cm) Weight: 98.5 lb (44.7 kg) / Shipping weight: 116 lb (52.5 kg) 	NO535H-EU	230V/50Hz	95.000,- dkr
N°533H 	Three Channel Amplifier (300 Watts x 3) <ul style="list-style-type: none"> Balanced design with XLR and RCA inputs Black aluminum finish Dimensions (H x W x D): 7.7" x 17.8" x 19.8" (19.6 cm x 45.2 cm x 50.3 cm) Weight: 90.0 lb (40.8 kg) / Shipping weight: 108 lb (49 kg) 	NO533H-EU	230V/50Hz	80.000,- dkr
N°532H 	Dual Monaural Amplifier (300 Watts x 2) <ul style="list-style-type: none"> Balanced design with XLR and RCA inputs Black aluminum finish Dimensions (H x W x D): 7.7" x 17.8" x 19.8" (19.6 cm x 45.2 cm x 50.3 cm) Weight: 74 lb (33.6 kg) / Shipping weight: 92 lb (41.5 kg) 	NO532H-EU	230V/50Hz	65.000,- dkr
N°531H 	Monaural Amplifier (300 Watts x 3) <ul style="list-style-type: none"> Balanced design with XLR & RCA inputs Black aluminum finish Dimensions (H x W x D): 7.7" x 17.8" x 19.8" (19.6 cm x 45.2 cm x 50.3 cm) Weight: 52.5 lb (23.8 kg) / Shipping weight: 69 lb (31.5 kg) 	NO531H-EU	230V/50Hz	45.000,- dkr

Preamplifiers

MODEL	PRODUKTBESKRIVELSE	PART #	VOLT/ FREKVENNS		SALGSPRIS
N°52 *Available April 2013* 	Reference Dual-Monaural Preamplifier <ul style="list-style-type: none"> • Dual-chassis design with AC regeneration • 7 analog inputs (3 balanced XLR and 4 unbalanced RCA) plus Dedicated MM/MC Phono Input • Dual pre-outs (2 XLR and 2 RCA) plus configurable AUX output (1 XLR and 1 RCA) • System controls: Ethernet, proprietary ML net, 12V trigger & IR ports, and USB • Black and Silver Two-tone Aluminum Finish • Dimensions (H x W x D): 8.75" (22.2 cm) [Control = 3.25" (8.2 cm); Audio = 5.5" (14 cm)] x 17.25" (43.8 cm) x 13" (33 cm) • Weight: 60 lb (27 kg) / [Control = 25 lb (11 kg); Audio = 35 lb (16 kg)] 	NO52			250.000,- dkr
N°326S 	Stereo Preamplifier <ul style="list-style-type: none"> • 3 XLR & 4 RCA stereo inputs • Stereo XLR & RCA outputs • Includes handheld remote control • Black aluminum finish • Dimensions (H x W x D): 2.9" x 17.8" x 14.1" (7.4 cm x 45.1 cm x 35.7 cm) • Weight: 18.3 lb (12.7 kg) / Shipping weight: 30 lb (14 kg) 	NO326SEU	230V/50Hz		85.000,- dkr
	Optional Phono Module for N°326S <ul style="list-style-type: none"> • Converts one RCA stereo input for MM/MC phono • Requires dealer installation & configuration 	021-16639			13.000,- dkr

Disc Players

MODEL	PRODUKTBESKRIVELSE	PART #	VOLT/ FREKVENNS		SALGSPRIS
N°512 	CD/SACD™ Player <ul style="list-style-type: none"> • Proprietary dual mode (two per channel) 24-bit D/A converters • Stereo XLR & RCA analog outputs • AES (XLR) & S/PDIF (RCA) digital outputs • Variable or fixed output • Includes handheld remote control • Black aluminum finish • Dimensions (H x W x D): 4.6" x 17.4" x 17.6" (11.7 cm x 44.2 cm x 44.7 cm) • Weight: 32.5 lb (14.7 kg) / Shipping Weight: 41 lb (19 kg) 	NO512EU	230V/50Hz		129.000,- dkr

Lumagen Processors

MODEL	PRODUKTBESKRIVELSE	PART #		SALGSPRIS
Radiance XE-3D 	High-Performance Video Processor/Scaler <ul style="list-style-type: none"> • 6 HDMI 1.4 3D-compatible inputs • 12 additional analog video inputs • 2 HDMI 1.4 3D-compatible outputs • 10-bit de-interlacing/scaling video processing • Lumagen proprietary No-Ring™ scaling • IR remote control (included), RS-232, 12V trigger control ports • Rack ears included (2U rack height) • Dimensions (H x W x D): 3.8" [3.5" w/out feet] x 17" x 10" (9.5 cm [8.9 cm w/out feet] x 43.2 cm x 25.4 cm) 	RADIANCEXE		35.990,- dkr
Radiance XS-3D 	High-Performance Video Processor/Scaler <ul style="list-style-type: none"> • 4 HDMI 1.4 3D-compatible inputs • 6 additional analog video inputs • 2 HDMI 1.4 3D-compatible outputs • 10-bit de-interlacing/scaling video processing • Lumagen proprietary No-Ring™ scaling • IR remote control (included), RS-232 • Rack ears included (1U rack height) • Dimensions (H x W x D): 2" [1.75" w/out feet] x 17" x 10" (5.1 cm [4.5 cm w/out feet] x 43.2 cm x 25.4 cm) 	RADIANCEXS		21.990,- dkr

Lumagen Processor & Cable Extenders

MODEL	PRODUKTBESKRIVELSE	PART #		SALGSPRIS
Radiance Mini-3D 	High-Performance Video Processor/Scaler <ul style="list-style-type: none"> • 2 HDMI 1.4 3D-compatible inputs • 1 HDMI 1.4 3D-compatible output • 10-bit de-interlacing/scaling video processing • Lumagen proprietary No-Ring™ scaling • IR remote control (included), RS-232 control port • Mounting tabs for fastening • Dimensions (H x W x D): 1.1" x 8.5" x 5" (2.7 cm x 21.6 cm x 12.7 cm) 	RADIANCEMINI		14.490,- dkr
HDMI-CAT6 Cable Extender 	HDMI 1.4 CAT6 Cable Extender Transmitter and Receiver <ul style="list-style-type: none"> • Up to 70M total distance* • Active signal buffering for video and control • Adjustable cable equalization • Supports all HDMI 1.4 3D modes and audio return channel • Supports up to 1080p at 120Hz or a 300MHz pixel clock • Power supplies at both transmitter and receiver • Dimensions (H x W x D) [per piece]: 2.5" x 5.2" x 1" (6.4 cm x 13.2 cm x 2.5 cm) 	HDMI-CAT6 EXT		3.590,- dkr
HDMI-HDMI Cable Extender 	HDMI 1.4 Cable Extender <ul style="list-style-type: none"> • Up to 40M total distance** • Active signal buffering for video and control • Adjustable cable equalization • Supports all HDMI 1.4 3D modes and audio return channel • Supports up to 1080p at 120Hz or a 300MHz pixel clock • Power supply to maintain signal integrity • Dimensions (H x W x D): 2.5" x 5.2" x 1" (6.4 cm x 13.2 cm x 2.5 cm) 	HDMI-HDMI EXT		1.790,- dkr

*70M = Up to 30M HDMI cable from source to TX, up to 30M CAT6 STP TX to RX, up to 10M HDMI RX to display

**40M = Up to 30M HDMI cable from source to HDMI extender, up to 10M HDMI extender to display

HARMAN Luxury Audio Group
1718 W. Mishawaka Rd., Elkhart, IN 46517 USA
www.marklevinson.com - www.facebook.com/marklevinsonaudio

DISTRIBUTØR:
EWALD STEENSEN A/S
Mads Clausens Vej 24
9800 Hjørring
Tlf: 98 92 48 22
www.steensen.dk

© 2013 HARMAN International Industries, Incorporated. All rights reserved.

Mark Levinson and the Mark Levinson logo are trademarks of HARMAN International Industries, Incorporated, registered in the United States and/or other countries. HDMI, the HDMI logo and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC. SACD is a trademark of Sony Corporation. VXP is a registered trademark of Sigma Designs, Inc., in the United States and/or other countries. All rights reserved.

EWALD STEENSEN A/S Tlf: 98 92 48 22 www.steensen.dk