



Reference Audio		kroner
808v5	Signature Reference Compact Disc Player Preamplifier 1 Inputs: 1 x ID41 Digital Media Card, 3 x SpeakerLink, 3 x coax digital, 2 x optical digital, 6 x stereo unbalanced analogue, 192kHz/24 bit asynchronous USB Outputs: 2 x SpeakerLink, 1 x coax digital, 1 x stereo unbalanced analogue, 1 x stereo balanced analogue	118.000,00
818v2	Reference Audio Core 818v2 Inputs: 1 x ID41 Digital Media Card, 192kHz/24 bit asynchronous USB, 3 x SpeakerLink, 3 x coax digital, 5 x optical digital, 6 x stereo unbalanced analogue, 1 x high-resolution analogue, 2 x 2 x optical digital, 1 x high-resolution USB Outputs: 2 x SpeakerLink, 1 x coax digital, 1 x stereo unbalanced analogue, 1 x stereo balanced analogue	86.000,00
861v8	Reference Surround Controller RackMount Fascia with shelf available for an additional kr. 5.200,00. Inputs: 1 x MMHR, 1 x SpeakerLink, 6 x coax digital, 2 x optical digital, 192kHz/24 bit asynchronous USB, 6 x stereo unbalanced analogue (configurable as 2 multichannel inputs). Outputs: 8 x SpeakerLink Optional OA08 Analogue output with: 4 x channels on unbalanced OA18 Analogue output with: 4 x channels on balanced ID41 RJ45 Ethernet Connection to Meridian Digital Media Systems	8.000,00 8.000,00 8.000,00 10,800.00
Refere	ence Video	
810	Reference Video System Fully "Film Calibrated," World's only 10 Megapixel System, outboard Video processor up converts all signals to 10 Megapixel, Includes 1.33X Anamorphic Lens, Motorized Sled, and Bracket to mount lens/sled to projector, processor outputs via 4 x DVI; processor inputs HDMI x 1 and DVI x 1, RS232 controllable Select lens option below: S Lens Short throw – 1.5 - 1.84:1 ratio Anamorphic not possible M Lens Medium throw – 2.2 - 3.6:1 ratio L Lens Long throw – 4.7 - 8.0:1 ratio V Lens Very short throw / rear-pro – 1.1:1 ratio Anamorphic Lens assembly not included with this lens	1.500.000,00
	810 Replacement Lamp	38.300,00

REFERENCE AUDIO FINISH OPTIONS:

1: 800 Series products are available with High Gloss Graphite, Silver & Black finishes plus the full range of Meridian Select colours. Pricing for Meridian Select colours upon request.



DSP Loudspeakers - Bookshelf		kroner
DSP3200	DSP Active Loudspeaker – per stk. Two way loudspeaker with apodising filter. Available in high-gloss	19.000,00
S3200	black or white finishes. SpeakerLink input and output. Floor Stand for DSP3200 – per stk.	2.200,00
DSP3300	DSP Versatile Active Loudspeaker – per stk. Designed for Centre, L / R operation, with apodising filter. Available in high-gloss black or white finishes. SpeakerLink input & output.	24.000,00
DSP Lot	udspeakers – Floorstanding*	
M6	DSP Active Loudspeaker – per stk. Two-way, floorstanding loudspeaker with apodising filter. Finished with black cloth. SpeakerLink input and output.	24.000,0
DSP5200	DSP Active Loudspeaker – per stk. Two and a half way floorstanding loudspeaker with apodising filter and two 6.5" woofers, one 1" tweeter. SpeakerLink input and output, S/PDIF input and output.	38.000,0
DSP5200 HC	DSP Active Horizontal Centre Loudspeaker – per stk. Two and a half way loudspeaker with apodising filter and two 6.5" woofers, one 1" tweeter. SpeakerLink input and output, S/PDIF input and output.	41.000,0
DSP7200	DSP Active Loudspeaker – per stk. Three and a half way floor standing loudspeaker system with Enhanced Bass Alignment, apodising filter, and Meridium proprietary cabinet construction. Two 8" woofers, one 6" midrange, and one 1" tweeter. SpeakerLink input and output, S/PDIF input and output.	110.000,0
DSP7200 HC	DSP Active Horizontal Centre Loudspeaker – per stk. Three and a half way loudspeaker with Centre Elevation Technology, Enhanced Bass Alignment, apodising filter, and proprietary cabinet construction. Two 8" woofers, one 6" midrange, and one 1" tweeter. SpeakerLink & S/PDIF input and output, Centre Elevation.	115.000,0
DSP8000	DSP Active Reference Loudspeaker – per stk. Three and a half way floorstanding loudspeaker system with separate head for a psychoacoustically more realistic performance, apodising filter, and proprietary cabinet construction. Six 8" woofers, one 6" midrange, and one 1" tweeter. SpeakerLink input and output, S/PDIF input and output.	190.000,0

BOOKSHELF & FLOORSTANDING LOUDSPEAKER OPTION (EXCEPT M6):

Standard loudspeaker colours are high-gloss black or white. All other colours are included under Meridian Select. To order a custom colour under Meridian Select, please provide the RAL (www.ral-farben.de) colour number Vertical Centre Loudspeaker available by special order to match any of the above Loudspeaker pairs at 50% of the pair cost. Please allow 4-6 weeks for delivery. 25% deposit required. Pricing for Meridian Select colours available upon request: NOTE: MSR REMOTE AND CABLES ARE NOT INCLUDED WITH SPEAKERS.



DSP Loudspeakers – Special Edition*

kroner

NEW Meridian celebrates 25 years of leadership digital loudspeaker

innovation with the new SE series. Featuring an all-new beryllium-dome tweeter, new extended-range electronics and advanced firmware plus meticulously-selected, DSP-tuned

mechanical enhancements.

DSP52000SE DSP Active Loudspeaker – per stk. 54.000,00

Two and a half way floorstanding loudspeaker with apodising filter

and two 6.5" woofers, one 1" tweeter. SpeakerLink connection on RJ45.

56.000.00 DSP5200SEHC DSP Active Horizontal Centre Loudspeaker – per stk.

> Two and a half way loudspeaker with apodising filter and two 6.5" woofers, one 1" tweeter. SpeakerLink connection on RJ45.

DSP7200SE **DSP Active Loudspeaker** – per stk. 130.000,00

Three and a half way floor standing loudspeaker system with

Enhanced Bass Alignment, apodising filter, and Meridium

proprietary cabinet construction. Two 8" woofers, one 6" midrange,

and one 1" tweeter. SpeakerLink connection on RJ45.

DSP7200SEHC DSP Active Horizontal Centre Loudspeaker – per stk. 135.000,00

> Three and a half way loudspeaker with Centre Elevation Technology, Enhanced Bass Alignment, apodising filter, and proprietary cabinet construction. Two 8" woofers, one 6"

midrange, and one 1" tweeter. SpeakerLink connection on RJ45.

DSP8000SE **DSP Active Reference Loudspeaker** – per stk. 230.000,00

> Three and a half way floorstanding loudspeaker system with separate head for a psychoacoustically more realistic performance, apodising filter, and proprietary cabinet construction. Six 8" woofers, one 6" midrange, and one 1"

tweeter. SpeakerLink connection on RJ45.

SPECIAL EDITION LOUDSPEAKER OPTION:

Standard loudspeaker colours are high-gloss black or white. All other colours are included under Meridian Select. To order a custom colour under Meridian Select, please provide the RAL (www.ral-farben.de) colour number Vertical Centre Loudspeaker available by special order to match any of the above Loudspeaker pairs at 50% of the pair cost. Please allow 4-6 weeks for delivery. 25% deposit required. Pricing for Meridian Select colours available upon request: NOTE: MSR REMOTE AND CABLES ARE NOT INCLUDED WITH SPEAKERS.



DSP Sub Woofer		kroner
DSW	DSP Active Sub Woofer – 1 x 12 inch. SpeakerLink input and output. Available in high-gloss black or white. Other colours under Meridian Select.	34.000,00
DSP I	nstallation Loudspeakers	
DSP520	In-wall DSP Active Loudspeaker – per stk. Two way ported installation loudspeaker with SpeakerLink inputs & outputs. Wide Range driver technology, long throw custom woofer. Paintable metal grill with scrim. Required AC connection through RF500.	24.000,00
RF500	Rough-in Box for DSP520 – per stk. Fully enclosed aluminium installation kit for DSP520, CE rated. Requires AC connection.	N/A
DSP640	In-wall DSP Active Loudspeaker - per stk. Two way installation loudspeaker with SpeakerLink inputs & outputs. Two wide range drivers accompanied with two long throw custom woofers. Paintable metal grill with scrim. Required AC connection through RF600.	38.000,00
RF600	Rough-in Box for DSP600 – per stk. Fully enclosed aluminium installation kit for DSP600, CE rated. Requires AC connection.	N/A
Powe	r Amplifiers	
G55 NEW	5 x 100W Power Amplifier – per stk. Based on the unique DSP8000 amplifier, delivers 5 x 100W continuous amplification. Ideal for theatre and multichannel music applications. Unique ultra-low-feedback design for superb overall sound. Bridge mode provides 2 x 300W plus DSP520 1 x 100W.	54.000,00
G57 NEW	2 x 200W Power Amplifier – per stk. Based on the unique DSP8000 amplifier, delivers 2 x 200W continuous amplification – ideal for the most demanding music systems or theatre applications. Can be bridged to 1kW for the ultimate in passive theatres. May be combined with the G55 for 7.1 theatres.	43.000,00



Audio Controllers

kroner

Audio Core 200 Stereo DSP Loudspeaker Controller

17.000,00

Features Meridian resolution enhancement technologies to control Meridian DSP Loudspeakers.

Inputs: 1 x SpeakerLink, 2 x coax digital, 2 x 3.5mm analogue/digital optical, 1 x Mini-DIN for i80, 2 x stereo unbalanced analogue, 1 x USB.

Outputs: 2 x SpeakerLink, 1 x 3.5mm headphone. Available in high-gloss black or white finishes.

Surround Controllers

.....

Surround Controller G65 48.000.00

Inputs: 2 x SpeakerLink (RJ45), 6 x S/PDIF digital (coax), NEW

1 x MMHR 6-channel input, 2 x Toslink S/PDIF optical inputs,

8 x analogue stereo.

Outputs: 8 x SpeakerLink digital (RJ45), 8 x analogue balanced (XLR).

HD621 HDMI Audio Processor - Standard or RackMount Fascia 17.000,00

> 6 x HDMI Inputs, MMHR, SmartLink, 1 x HDMI outputs. Compatible with 3D technology. Available in black finish only.

40th Anniversary System

Limited Edition Signature Reference 808 Player & Limited Edition DSP8000 Digital Active Loudspeakers.

640.000.00

Special, limited 40th Anniversary Edition of Meridian's most advanced audio replay system to celebrate the Ruby Anniversary of Allen Boothroyd and Bob Stuart's creative partnership. The system consists of a special version of the 808 Player and DSP8000 Loudspeakers, plus SpeakerLink and remote control. A hardbound system user guide with a unique introduction detailing Meridian's history, loudspeaker design, and philosophy, personally signed by Bob and Allen, is provided with each system. Only 40 systems in total will be available worldwide.

SURROUND CONTROLLER FINISH OPTIONS:

1: G Series Surround Controllers are available with either Silver or Black anodised aluminium finishes.



Music Streaming kroner Streaming system¹ Control 15 48.000,00 SYSTEM CORE: operating system included. CONTROL: 17" touch screen (Core Control App can also be used). STORAGE: 500 GB internal storage drive (approx. 1,000 albums), CD drive for importing media. AUDIO ZONE: single zone player with: 1 x SpeakerLink digital out, 1 x coax digital output. Media Core 200 Streaming system 21.000,00 SYSTEM CORE: operating system included. CONTROL: Core Control App. STORAGE: 1 TB internal storage drive (approx. 2,000 albums), AUDIO ZONE: single zone player with: 1 x SpeakerLink digital out, 1 x coax digital output, 1 x stereo unbalanced analogue output. Media Core 600 Streaming system 65.000,00 SYSTEM CORE: operating system included with enhanced processor. CONTROL: Core Control App. STORAGE: 4 TB internal storage, auto backup RAID 1, AUDIO ZONE: six zone player with each having: 1 x SpeakerLink digital out, 1 x coax digital output, 1 x stereo unbalanced analogue output. Media Drive 600 High-Capacity Storage with System Core 27.000,00 SYSTEM CORE: operating system included with enhanced processor. CONTROL: Core Control App. STORAGE: Twin 3.5" drive bays with auto backup RAID 1, (does not include hard drives). Requires Audio Zone for complete system. Media Source 200 Compact Audio Source 5.500.00 AUDIO ZONE: single zone player with: 1 x SpeakerLink digital out, 1 x analogue (3.5mm jack), 1 x SPDIF digital (35.mm jack). Requires Audio Zone for complete system. Media Source 600 High Performance Audio Source. 19.000,00 AUDIO ZONE: single zone player with: 1 x SpeakerLink digital out, 1 x coax digital output, 1 x stereo unbalanced analogue output, 1 x stereo balanced analogue output. Requires Audio Zone for complete system. Core Control Core Control App for iPad. **FREE** Control for any System Core, download directly from Apple App Store.

STREAMING SYSTEM FINISH OPTION:

1: Available in black and silver aluminium finishes.



Personal Audio		kroner
Explorer	Explorer USB DAC Asynchronous 24/192 USB DAC with fixed/variable analogue outputs & fixed optical output. Compatible with Windows, Apple, and Linux operating systems.	2.500,00
Direct DAC	Direct DAC USB & S/PDIF DAC Asynchronous 24/192 DAC with USB and optical/coax S/PDIF inputs. Features Meridian Resolution Enhancement technologies to deliver superior sound quality from digital sources into an analogue hi-fi.	5.000,00
Prime Headphone Amplifier NEW	High Performance Headphone Amplifier Inputs: 1 x RCA stereo Analogue, 1 x 3.5 mm analogue, 1 x USB 2.0 Asynchronous digital. Outputs: 1 x RCA stereo analogue, 2 x 1/4" stereo headphone, 1 x 3.5 mm stereo headphone. Power: Supplied external power supply.	13.500,00
Prime Power Supply NEW	High Performance Power Supply Inputs: 1 x IEC C3 – pole connector, 1 x USB input for audio pass through. Outputs: 5 x latching 3 pin mini-DIN connectors for power, 1 x USB for powering external device.	8.600,00
System (Components & Accesseries	
Distributor 3	SpeakerLink distributor for use in multi-zone DSP Loudspeaker installations.	9.600,00
AC11	SpeakerLink Hub for Non-SpeakerLink Surround Processor Connection to SpeakerLink DSP Loudspeakers.	5.400,00
AC12	Connection interface for SpeakerLink outputs to 1 pair or single legacy DSP Loudspeakers.	4.300,00
G12	Remote IR Sensor for Meridian G Series Components	1.700,00
G Rack Kit	G Rack Kit (Active) Includes, mounting shelf, front analogue and digital coax inputs, Composite and S-Video Inputs, RS232 Port, and USB Port, as well as integrated fans for thermal management triggered from Meridian component. Front panel trim plates (3U and 4U) included.	6.800,00
MSR+	Meridian System Remote – available in black only.	1.100,00
Speaker	Link Cables	
0.5 m SpeakerLink RJ45 High Resolution Audio Cable for DSP Loudspeakers		560,00
1 m SpeakerLink RJ45 High Resolution Audio Cable for DSP Loudspeakers		720,00
5 m SpeakerLink RJ45 High Resolution Audio Cable for DSP Loudspeakers		980,00
10 m SpeakerLink RJ45 High Resolution Audio Cable for DSP Loudspeakers		
15 m SpeakerLink RJ45 High Resolution Audio Cable for DSP Loudspeakers		1.650,00



Custom SpeakerLink		kroner
SpeakerLink Cable Reel	SpeakerLink Reel 305 metre on reel for custom lengths NOTE: Not CL approved for in-wall use in USA.	16.000,00
SpeakerLink Connectors	SpeakerLink RJ45. Shielded RJ45 connectors - 40 pcs per bag. Connection to SpeakerLink DSP Loudspeakers.	1.300,00
SpeakerLink ⁻	Tool SpeakerLink Termination Tool	6.400,00
Refence	Audio Upgrades	
808v5	Signature Reference 808v5	32.000,00
818v2	Reference Audio 818v2	16.000,00
861v8	Reference 861v8	27.000,00
Individua	Upgrade Cards – inc 2 yr waranty; prices do not include labour.	
OE34	Digital output with: 8 x SpeakerLink outputs (for 861v6 only)	8.000,00
OE38	Digital output with: 2 x SpeakerLink output and 1 x coax digital output	8.000,00
ID29	Digital input with: 1 x 192kHz/24 bit USB input, 3 x optical digital, and 2 x SpeakerLink	8.000,00
ID41	RJ45 Ethernet Connection to Meridian Digital Media Systems	10.700,00
DSP Lou	Idspeakers Upgrades – inc 2 yr waranty; prices do not include lab	our.
DSP7200	Includes tweeters and DSP boards – per par	19.000,00
DSP7200HC/\	C Includes tweeters and DSP boards – per stk.	9.400,00
DSP Spe	ecial Edition Loudspeakers Upgrades - inc 2 yr waranty; prices do not include labour. Per styk.	
DSP5200SE DSP7200SE DSP8000SE		25.500,00 35.000,00 59.000,00
Health C	hecks	
861 G68 G61R G61 C61R	861 Reference Surround Sound Controller (inc 5yr warranty) G68 Surround Sound Controller (inc 3yr warranty) G61R Surround Sound Controller (inc 3yr warranty) G61 Surround Sound Controller (inc 3yr warranty) C61R Surround Sound Controller (inc 3yr warranty)	6.500,00 3.800,00 3.800,00 3.800,00 3.800,00